


## Typical Southern Pine Lumber Grade Marks – ink stamp



\*Other organizations accredited by ALSC to inspect and grade all or selected Southern Pine products according to SPIB Grading Rules include: California Lumber Inspection Service (CLIS), Northeastern Lumber Manufacturers Association (NELMA), Renewable Resource Associates Inc. (RRA), West Coast Lumber Inspection Bureau (WCLIB) and Western Wood Products Association (WWPA).

## Typical Treated Lumber Quality Marks – plastic end tag or ink stamp

### AWPA Standardized Preservative

1 AWPA Standard Reference for AWPA Standardized Preservative System  
 2 ICC-ES Evaluation Report (ESR) Number for ICC-ES Evaluated Preservative System  
 3 AWPA Use Category  
 4 Exposure Category or End-use Condition  
 5 Preservative System  
 6 Preservative Retention in pounds per cubic foot (pcf) – optional for ICC-ES preservatives  
 7 Treating Company & Location  
 8 Third-Party Inspection Agency  
 9 Checkmark of Quality (AWPA) or ICC-ES Logo (ESR)  
 10 (optional) Trade Name or Company Logo  
 11 (optional) Size, Length, Grade, Species

### ICC-ES Evaluated Preservative

1 AWPA Standard Reference for AWPA Standardized Preservative System  
 2 ICC-ES Evaluation Report (ESR) Number for ICC-ES Evaluated Preservative System  
 3 AWPA Use Category  
 4 Exposure Category or End-use Condition  
 5 Preservative System  
 6 Preservative Retention in pounds per cubic foot (pcf) – optional for ICC-ES preservatives  
 7 Treating Company & Location  
 8 Third-Party Inspection Agency  
 9 Checkmark of Quality (AWPA) or ICC-ES Logo (ESR)  
 10 (optional) Trade Name or Company Logo  
 11 (optional) Size, Length, Grade, Species